

**TEST FACILITY**

---

**Consumer Product Testing Company, Inc.**  
70 New Dutch Lane  
Fairfield, NJ 07004  
973-808-7111

**CLIENT**

---

**SMOOTH-ON, INC**  
5600 Lower Macungie Road  
Macungie, PA 18062  
610-252-5800

---

<b>Test Report No: V17-6509-4</b>	<b>Date: January 24, 2018</b>
-----------------------------------	-------------------------------

**SAMPLE ID:** The client identified the following test material as “**Aljasafe**”.

**SAMPLING DETAIL:** Test samples were submitted to the laboratory directly by the client. No special sampling conditions or sample preparation were observed by Consumer Product Testing Company, Inc.

**DATE OF RECEIPT:** Samples were received at Consumer Product Testing Company, Inc Laboratories facilities on January 10, 2018.

**TESTING PERIOD:** January 13, 2018

**AUTHORIZATION:** Signed project number V17-6509-4 signed by Tim Boyer.

**TEST REQUESTED:** To predict skin irritation potential of neat test substances in the context of identification and classification of skin irritation hazard according to the EU classification system. The Modified EpiDerm SIT allows discrimination between irritants of category 2 and non-irritants. The protocol used is in compliance with OECD 439 (Adopted 26 July 2013).

**TEST RESULTS:** The test article is classified as a non-irritant.

**Prepared For:**

**Tim Boyer**  
**Technical Director**  
**SMOOTH-ON, INC.**